

Material Safety Data Sheet

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements

U.S. Department of Labor

Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

Identity (As used on Label and List) Kolor Kut Water Finding Paste @ 3 oz. tube	Note: Blank spaces are not permitted. If and item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I

Manufacturer's Name Kolor Kut @ Products Co., Ltd.	Emergency Telephone Number 713-926-4780
Address (NUMBER, Street City, State and ZIP Code) 7915 East Elm Street Houston, TX 77012	Telephone Number for Information 713-926-4780
Kolor Kut Water Finding Paste @ Kolor Kut @ is a registered trademark of Kolor Kut Products Co. Houston, TX	Date February 12, 2015 Signature of Preparer (optional) D. Frauenberger

Section II – Hazardous Ingredients/Identity Information

Hazardous Component (Specific Chem. Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
NONE				
All Ingredients Non-Hazardous				

Section III – Physical / Chemical Characteristics

Boiling Point	650 Degrees F.	Specific Gravity (H2O=1)	1.1
Vapor Pressure (mm Hg.)	.1	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (BUTYL ACETATE=1)	N/A
Solubility in Water Completely Miscible			
Appearance and Odor Yellowish Brown Semisolid, Slight Ammonia Odor			

Section IV – Fire and Explosive Hazard Data

Flash Point (Method Used) +365 derees F. tag open cup	Flammable Limits (STP in Air)	LEL N/A	UEL N/A
Extinguishing Media Standard dry chemical, foam, co-2, water-fog			
Special Fire Fighting Procedures Wear a NIOSH /MSHA approved self contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.			
Unusual Fire and Explosion Hazards -None-			

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	XXXX	None Known
Incompatibility (Material to Avoid) Oxidating agents & acids			
Hazardous Decomposition or Byproducts None Known			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXXXX	None Known

-1-

Kolor Kut Water Finding Paste @
 Kolor Kut @ is a registered trademark of
 Kolor Kut @ Products Company, Ltd.
 Houston, Texas USA

Section VI – Health Hazard Data

Routes(s) of Entry:	Inhalation?	Skin?	Ingestion?
None known at normal temperature.		Mild irritation	
Health Hazards (Acute and Chronic)			
None Known at this time.			
If Ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as a known human carcinogen.			
Signs and Symptoms of Exposer			
Irritation and bad odor.			
Medical Conditions Generally Aggravated by Exposure			
Not Determined			
Emergency and First Aid Procedures			
Eyes: use eyewash fountain, get medical attention if irritation develops or persists.			
Skin: use clean cloth – wash w / soap & water. Inhalation- seek medical attention.			
Ingestion: induce vomiting- seek medical attention. Note to physician: treat symptomatically.			

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Unlikely, contain spill, wipe up, and dispose into appropriate container.
Waste Disposal Method
Dispose of in accordance with local, state and federal regulations.
Precautions to Be Taken in Handling and Storing
Store at room temperature do not expose to high temperatures or water contamination.
Do not freeze (for preservation of product only)
Avoid prolonged contact with skin. Wash hands thoroughly after handling. Do not rub eyes with soiled hands.
Other Precautions
None Known

Section VIII – Control Measures

Respiratory Protection (Specific Type)		
No special respiratory protection required.		
Ventilation	Local Exhaust	Special
NORMAL	Use local exhaust as needed.	Maintain safety equipment.
	Mechanical (General)	Other
	N/A	N/A
Protective Gloves	Eye Protection	
Recommended if desired or as required	safety glasses with side shields.	
Other Protective Clothing or Equipment		
Work clothing		
Work/Hygienic Practices		
Be Clean, after applying, clean hands with soap and water.		

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

Identity (As used on Label and List) Kolor Kut Gasoline Gauging Paste @ 2.25 oz. jar	Note: Blank spaces are not permitted. If and Item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name Kolor Kut @ Products Co., Ltd.	Emergency Telephone Number 713-926-4780
Address (Number, Street City, State and ZIP Code) 7915 East Elm Street Houston, TX 77012	Telephone Number for Information 713-926-4780
Kolor Kut Gasoline Gauging Paste@ Kolor Kut@ is a registered trademark of Kolor Kut Products Co. Houston, TX	Date February 12, 2015
	Signature of Preparer (optional) D. Frauenberger

Section II – Hazardous Ingredients/Identity Information

Hazardous Component (Specific Chem. Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
NONE				
All Ingredients Non-Hazardous				

Section III – Physical / Chemical Characteristics

Boiling Point	212 Degrees F.	Specific Gravity (H2O=1)	1
Vapor Pressure (mm Hg.)	N/A	Melting Point	120 Degrees F
Vapor Density (AIR=1)	N/A	Evaporation Rate (BUTYL ACETATE=1)	N/A
Solubility in Water Yes			
Appearance and Odor Light Pink Semisolid			

Section IV – Fire and Explosive Hazard Data

Flash Point (Method Used) none	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Standard dry chemical, foam, co-2, water-fog			
Special Fire Fighting Procedures Wear a NIOSH /MSHA approved self contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.			
Unusual Fire and Explosion Hazards -None-			

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	XXXX	None Known
Incompatibility (Material to Avoid) Oxidizing agents & acids			
Hazardous Decomposition or Byproducts None Known			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXXXX	None Known

-1-

Kolor Kut Gasoline Gauging Paste @
 Kolor Kut @ is a registered trademark of
 Kolor Kut @ Products Company, Ltd.
 Houston, Texas USA

Section VI – Health Hazard Data

Routes(s) of Entry:	Inhalation?	Skin?	Ingestion?
None known at normal temperature.		Mild irritation	
Health Hazards (Acute and Chronic)			
None Known at this time.			
if Ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
This product does not contain any ingredient designated by iarc, ntp, aogh or osha as a known human carcinogen.			
Signs and Symptoms of Exposure			
Irritation and bad odor.			
Medical Conditions Generally Aggravated by Exposure			
Not Determined			
Emergency and First Aid Procedures			
Eyes: use eyewash fountain , get medical attention if irritation develops or persists.			
Skin: use clean cloth – wash w / soap & water. Inhalation- seek medical attention.			
Ingestion: induce vomiting- seek medical attention. Note to physician; treat symptomatically.			

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken In Case Material Is Released or Spilled
Unlikely, contain spill, wipe up, and dispose into appropriate container.
Waste Disposal Method
Dispose of in accordance with local , state and federal regulations.
Precautions to Be Taken In Handling and Storing
Store at room temperature do not expose to high temperatures or water contamination.
Don not freeze (for preservation of product only)
Avoid prolonged contact with with skin. Wash hands thoroughly after handling. Do not rub eyes with soiled hands.
Other Precautions
None Known

Section VIII – Control Measures

Respiratory Protection (Specific Type)		
No special respiratory protection required.		
Ventilation	Local Exhaust Use local exhaust as needed.	Special Maintain safety equipment.
NORMAL	Mechanical (General) N/A	Other N/A
Protective Gloves	Recommended if desired or as required	Eye Protection safety glasses with side shields.
Other Protective Clothing or Equipment Work clothing		
Work/Hygienic Practices Be Clean, after applying, clean hands with soap and water.		

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

Identity (As used on Label and List) Kolor Kut Modified Water Finding Paste® Modified for reformulated and oxygenated fuels 2.5 ounce tube (M-3)	Note: Blank spaces are not permitted. If and item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I

Manufacturer's Name Kolor Kut® Products Co., Ltd.	Emergency Telephone Number 713-926-4780
Address (Number, Street City, State and ZIP Code) 7915 East Elm Street Houston, TX 77012	Telephone Number for Information 713-926-4780
	Date February 12, 2015
Kolor Kut Modified Water Finding Paste® Kolor Kut® is a registered trademark of Kolor Kut® Products Co. Houston, TX	Signature of Preparer (optional) D. Frauenberger

Section II – Hazardous Ingredients/Identity Information

Hazardous Component (Specific Chem. Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
NONE				
All Ingredients Non-Hazardous				

Section III – Physical / Chemical Characteristics

Boiling Point	650 Degrees F.	Specific Gravity (H2O=1)	1.1
Vapor Pressure (mm Hg.) @ 20 degrees C	.1	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (BUTYL ACETATE=1)	N/A
Solubility in Water Completely Miscible			
Appearance and Odor Brown Semisolid, Slight Ammonia Odor			

Section IV – Fire and Explosive Hazard Data

Flash Point (Method Used) +365 degrees F. tag open cup	Flammable Limits (SIF in Air)	LEL N/A	UEL N/A
Extinguishing Media Standard dry chemical, foam, co-2, water-fog			
Special Fire Fighting Procedures Wear a NIOSH /MSHA approved self contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.			
Unusual Fire and Explosion Hazards -NONE-			

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	XXXX	None Known
Incompatibility (Material to Avoid) Oxidizing agents & acids			
Hazardous Decomposition or Byproducts None Known			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXXXX	None Known

Kolor Kut Modified Water Finding Paste®
 Kolor Kut® is a registered trademark of
 Kolor Kut® Products Company, Ltd.
 Houston, Texas USA

Section VI – Health Hazard Data

Routes(s) of Entry:	Inhalation?	Skin?	Ingestion?
None known at normal temperature.		Mild Irritation	
Health Hazards (Acute and Chronic)			
None Known at this time.			
if Ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as a known human carcinogen.			
Signs and Symptoms of Exposure			
Irritation and bad odor.			
Medical Conditions Generally Aggravated by Exposure			
Not Determined			
Emergency and First Aid Procedures			
Eyes: use eyewash fountain, get medical attention if irritation develops or persists.			
Skin: use clean cloth – wash w / soap & water. Inhalation- seek medical attention.			
Ingestion: induce vomiting- seek medical attention. Note to physician: treat symptomatically.			

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Unlikely, contain spill, wipe up, and dispose into appropriate container.
Waste Disposal Method
Dispose of in accordance with local, state and federal regulations.
Precautions to Be Taken in Handling and Storing
Store at room temperature do not expose to high temperatures or water contamination.
Do not freeze (for preservation of product only)
Avoid prolonged contact with skin. Wash hands thoroughly after handling. Do not rub eyes with soiled hands.
Other Precautions
None Known

Section VIII – Control Measures

Respiratory Protection (Specific Type)	
No special respiratory protection required.	
Ventilation	Special
NORMAL	Maintain safety equipment.
Local Exhaust	Other
Use local exhaust as needed.	N/A
Mechanical (General)	Eye Protection
N/A	safety glasses with side shields.
Protective Gloves	
Recommended if desired or as required	
Other Protective Clothing or Equipment	
Work clothing	
Work/Hygienic Practices	
Be Clean, after applying, clean hands with soap and water.	

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

Identify (As used on Label and List) Kolor Kut Water Finding Paste © 3 oz. tube	Note: Blank spaces are not permitted. If an item is not applicable, or no information is available, the space must be marked to indicate that.
---	--

Section I

Manufacturer's Name Kolor Kut © Products Co., Ltd.	Emergency Telephone Number 713-928-4780
Address (Number, Street City, State and ZIP Code) 7915 East Elm Street Houston, TX 77012	Telephone Number for Information 713-928-4780
Kolor Kut Water Finding Paste © Kolor Kut © is a registered trademark of Kolor Kut Products Co. Houston, TX	Date May 9, 2012 Signature of Preparer (optional) D. Frauenberger

Section II – Hazardous Ingredients/Identify Information

Hazardous Component (Specific Chem. Identify: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
NONE				
All Ingredients Non-Hazardous				

Section III – Physical / Chemical Characteristics

Boiling Point	650 Degrees F.	Specific Gravity (H ₂ O=1)	1.1
Vapor Pressure (mm Hg.)	.1	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (BUTYL ACETATE=1)	N/A
Solubility in Water Completely Miscible			
Appearance and Odor Yellowish Brown Semisolid, Slight Ammonia Odor			

Section IV – Fire and Explosive Hazard Data

Flash Point (Method Used) +365 degrees F. tag open cup	Flammable Limits (STP in Air)	LEL	UEL
		N/A	N/A
Extinguishing Media Standard dry chemical, foam, co-2, water-fog			
Special Fire Fighting Procedures Wear a NIOSH /MSHA approved self contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.			
Unusual Fire and Explosion Hazards None			

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	XXXX	None Known
Incompatibility (Material to Avoid) Oxidizing agents & acids			
Hazardous Decomposition or Byproducts None Known			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXXXX	None Known

Kolor Kut Water Finding Paste ©
 Kolor Kut © is a registered trademark of
 Kolor Kut © Products Company, Ltd.
 Houston, Texas USA

Section VI – Health Hazard Data

Routes(s) of Entry:	Inhalation?	Skin?	Ingestion?
None known at normal temperature.		Mild Irritation	
Health Hazards (Acute and Chronic)			
None Known at this time.			
If Ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.			
Carcinogenicity:			
NTP?		IARC Monographs?	OSHA Regulated?
This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as a known human carcinogen.			
Signs and Symptoms of Exposure			
Irritation and bad odor.			
Medical Conditions Generally Aggravated by Exposure			
Not Determined			
Emergency and First Aid Procedures			
Eyes: use eyewash fountain ; get medical attention if irritation develops or persists.			
Skin: use clean cloth – wash w / soap & water. Inhalation- seek medical attention.			
Ingestion: induce vomiting- seek medical attention. Note to physician: treat symptomatically.			

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Unlikely, contain spill, wipe up, and dispose into appropriate container.
Waste Disposal Method
Dispose of in accordance with local , state and federal regulations.
Precautions to Be Taken in Handling and Storing
Store at room temperature do not expose to high temperatures or water contamination.
Do not freeze (for preservation of product only)
Avoid prolonged contact with skin. Wash hands thoroughly after handling. Do not rub eyes with soiled hands.
Other Precautions
None Known

Section VIII – Control Measures

Respiratory Protection (Specific Type)		
No special respiratory protection required.		
Ventilation	Local Exhaust	Special
	Use local exhaust as needed.	Maintain safety equipment.
NORMAL	Mechanical (General)	Other
	N/A	N/A
Protective Gloves		Eye Protection
Recommended if desired or as required		safety glasses with side shields.
Other Protective Clothing or Equipment		
Work clothing		
Work/Hygienic Practices		
Be Clean, after applying, clean hands with soap and water.		

MSDS SHEET**KOLOR KUT WATER FINDING PASTE****SECTION I - Material Identity**

Item Name	
Part Number/Trade Name	KOLOR KUT WATER FINDING PASTE
National Stock Number	6850L416001F
CAGE Code	11730
Part Number Indicator	A
MSDS Number	190260
HAZ Code	A

SECTION II - Manufacturer's Information

Manufacturer Name	KOLOR KUT PRODUCTS CO
P.O. Box	5415
Street	7915 E ELM STREET
City	HOUSTON
State	TX
Country	US
Zip Code	77012
Emergency Phone	713-926-4780
Information Phone	713-926-4780

MSDS Preparer's Information

Date MSDS Prepared/Revised	28FEB01
Date of Technical Review	09JUL93
Active Indicator	N

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Hazard Storage Compatibility Code	N1
NRC License Number	N/R
Net Propellant Weight (Ammo)	N/R
Appearance/Odor	BROWN SEMISOLID WITH SLIGHT AMMONIA ODOR
Boiling Point	650 F
Melting Point	NA
Vapor Pressure	0.1
Vapor Density	N/A
Specific Gravity	1.1
Decomposition Temperature	N/K
Evaporation Rate	NA
Solubility in Water	MISCISBLE
Percent Volatiles by Volume	0.0
Chemical pH	N/K
Corrosion Rate	N/K
Container Pressure Code	1
Temperature Code	4
Product State Code	S

SECTION IV - Fire and Explosion Hazard Data

Flash Point	365
Flash Point Method	UNK
Lower Explosion Limit	N/R
Upper Explosion Limit	N/R
Extinguishing Media	WATER FOG, FOAM, CO2, DRY CHEMICAL
Special Fire Fighting Procedures	NONE KNOWN
Unusual Fire/Explosion Hazards	NR

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	NONE
Materials to Avoid	OXIDIZING AGENTS AND ACIDS
Hazardous Decomposition Products	NONE KNOWN
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR
LD50 - LD50 Mixture	UNKNOWN

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	IF INGESTED, GIVE 2 GLASSES OF WATER. INDUCE VOMITING IMMEDIATELY
Carcinogenicity: NTP	NO
Carcinogenicity: IARC	NO
Carcinogenicity: OSHA	NO
Explanation of Carcinogenicity	NOT APPLICABLE
Symptoms of Overexposure	IRRITATION AND BAD ODOR
Medical Cond. Aggravated by Exposure	NONE KNOWN
Emergency/First Aid Procedures	CONTROL CONTACT AND MAINTAIN AT A MINIMUM

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	UNLIKELY, CONTAIN SPILL AND WIPE UP AND PLACE IN APPROPRIATE DISPOSAL CONTAINER
Neutralizing Agent	NOT APPLICABLE
Waste Disposal Method	DISPOSE AS A NON-HAZARODOUS WASTE. FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS
Handling and Storage Precautions	DO NOT EXPOSE TO HIGH TEMPERATURES OR WATER CONTAMINATION, DO NOT FREEZE (FOR PRESERVATION OF PRODUCT ONLY)
Other Precautions	NONE KNOWN

SECTION VIII - Control Measures

Respiratory Protection	NONE REQUIRED
Ventilation	NA
Protective Gloves	IF DESIRED, NOT NECESSARY
Eye Protection	PROTECTIVE EYE GLASSES
Other Protective Equipment	NONE REQUIRED
Work Hygenic Practices	WASH HANDS AFTER APPLYING

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	NO
Chronic Indicator	NO
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	NO TARGET ORGANS LISTED FOR CHRONIC EXPOSURES

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	0
Volatile Organic Compounds (G/L)	0

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	ALL INGREDIENTS ARE NON HAZARDOUS/ NO INGREDIENTS LISTED ON MFG MSDS
CAS Number	1005
Proprietary	NO
Percent	0